

SUPPLEMENTARY.

Table S1. Checklist of psychopathological symptoms in patients with anorexia nervosa

Affective symptoms	Neurotic and somatoform symptoms	Thought disorders	Cognitive symptoms	Behavioral disorders	Perception disorders	OCD	Physiological disorders	ED-related symptoms
Dysphoria	Fears (except for ED-related symptoms)	Delusional level of anxiety (including regarding EDs)	Reduced attentional focus	Impulsive actions	Cenesthopathies	Obsessive thoughts (except for EDs)	Difficulties falling asleep	Fears related to eating, weight gain, loss of control
Anxiety	Hypochondriacal concerns	Delusional level of depression	Memory deficits	Self-harm	Hallucinations	Rituals (except for EDs)	Superficial sleep	Body dysmorphic disorder (concerns regarding thickness of the body or its parts)
Apathy	Pain	Delusional level of mania	Delirium	Suicidal thoughts	Derealization	Contrasting obsessions	Early awakening	Vomiting
Anhedonia	Somatoform autonomic dysfunction	Dysmorphia (including regarding thickness of the body or its parts)		Conflict behavior	Depersonalization	Compulsions (except for ED-related symptoms)	Increased somnolence	Overvalued ideas (regarding diet, weight, and body shape)
Mood swings	Body dysmorphic disorder (except for concerns regarding thickness of the body or its parts)	Formal thought disorders (associative process disorders)		Aggression			Fatigue	Obsessive ideas (regarding food, weight, and body shape)
Elevated mood		Delusional ideas (except for EDs)					Increased appetite	Rituals (food, evaluation of one's own body)
Irritability		Overvalued ideas (except for EDs)					Decreased appetite	Sensitive ideas of reference ("others are critically judging me")
Euphoria		Ideas of reference (except for EDs)					Decreased libido	Compulsions as part of EDs
							Epileptic syndrome	

Note: Additional symptoms regarded as targets for prescribing agents to treat the side effects of antipsychotics: extrapyramidal symptoms, akathisia, and prevention of extrapyramidal symptoms. EDs — eating disorders; OCD — obsessive-compulsive disorder.

ПРИЛОЖЕНИЕ

Таблица П1. Чек-лист психопатологических симптомов у пациентов с нервной анорексией

Аффективные симптомы	Невротические и соматоформные симптомы	Нарушения мышления	Когнитивные симптомы	Нарушения поведения	Нарушения восприятия	ОКР	Физиологические нарушения	Симптомы РПП
Тоска	Страхи (кроме симптомов РПП)	Бредовый уровень тревоги (в том числе в отношении РПП)	Снижение концентрации внимания	Импульсивные действия	Сенестопатии	Навязчивые мысли (кроме РПП)	Нарушение засыпания	Страхи (еды, набора веса, потери контроля)
Тревога	Ипохондрические переживания	Бредовый уровень депрессии	Нарушение памяти	Самоповреждения	Галлюцинации	Ритуалы (кроме РПП)	Поверхностный сон	Дисморфобия (переживаний в отношении толщины тела или его частей)
Апатия	Боли	Бредовый уровень мании	Делирий	Суицидальные мысли	Дереализация	Контрастные навязчивости	Ранние пробуждения	Рвота
Ангедония	Соматоформная вегетативная дисфункция	Дисморфомания (в том числе и в отношении толщины тела или его частей)		Конфликтное поведение	Деперсонализация	Компульсии (кроме симптомов РПП)	Повышенная сонливость	Сверхценные идеи (в отношении питания, веса, фигуры)

Перепады настроения	Дисморфофобия (кроме переживаний в отношении толщины тела или его частей)	Формальные нарушения мышления (расстройства ассоциативного процесса)		Агрессия			Утомляемость	Навязчивые идеи (в отношении питания, веса, фигуры)
Приподнятое настроение		Бредовые идеи (кроме РПП)					Повышенный аппетит	Ритуалы (еда, оценка своего тела)
Раздражительность		Сверхценные идеи (кроме РПП)					Пониженный аппетит	Сенситивные идеи отношения (другие критически оценивают)
Эйфория		Идеи отношения (кроме РПП)					Пониженное либидо	Компульсии в рамках РПП
							Эписиндром	

Примечание: Дополнительные симптомы, которые учитывались в качестве мишеней для назначения корректоров побочных действий антипсихотиков: экстрапирамидные симптомы, акатизия, профилактика экстрапирамидных симптомов. ОКР — обсессивно-компульсивное расстройство; РПП — расстройства пищевого поведения.